


00000000000000000000000000000000

FIG.1



| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG.2

| FRAME NAME | DESCRIPTION |
|------------|--|
| CSE | CALLED SUBSCRIBER E-MALE ADDRESS |
| CIE | CALLING SUBSCRIBER E-MALE ADDRESS |
| TSE | TRANSMITTING SUBSCRIBER E-MALE ADDRESS |

| | |
|-----------|-----------|
| APPROVED | O.G. FIG. |
| BY | CLASS |
| DRAFTSMAN | SUBCLASS |

FIG.3

| ONE-TOUCH NUMBER | G3-FAX FUNCTION | TELEPHONE NUMBER | INTERNET FAX FUNCTION | INTERNET FAX ADDRESS | RECEIVER INFORMATION |
|------------------|-----------------|------------------|-----------------------|----------------------|----------------------|
| 01 | PRESENT | 012 - 345 - 6789 | PRESENT | ifax1@canxx.co.jp | NONE |
| 02 | ABSENT | | PRESENT | ifax2@canxx.co.jp | A4, 200DPI, MH |
| 03 | PRESENT | 098 - 765 - 4321 | PRESENT | ifax3@canxx.com | B4, 400DPI, JBIG |
| 04 | PRESENT | 012 - 123 - 1234 | ABSENT | | |
| 05 | | | | | |
| 06 | | | | | |
| 07 | | | | | |

FIG.4





FIG.5



| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG.6






FIG.7




1920. 10. 25. 10:00 AM. 5000 ft. 28°
2000 ft. 28° 1000 ft. 28°
1000 ft. 28° 500 ft. 28°
500 ft. 28° 200 ft. 28°
200 ft. 28° 100 ft. 28°

FIG.8



| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG.9



| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

00 000 0 - 2272260

FIG.10

| DIS X BIT | DIS (X+1) BIT | DIS (X+2) BIT | DESCRIPTION |
|-----------|---------------|---------------|---|
| 0 | 0 | 0 | NO INTERNET FAX MODE |
| 0 | 0 | 1 | SIMPLE MODE |
| 0 | 1 | 0 | FULL MODE |
| 0 | 1 | 1 | SIMPLE MODE & FULL MODE |
| 1 | 0 | 0 | REALTIME MODE |
| 1 | 0 | 1 | REALTIME MODE & SIMPLE MODE |
| 1 | 1 | 0 | REALTIME MODE & FULL MODE |
| 1 | 1 | 1 | REALTIME MODE & SIMPLE MODE & FULL MODE |

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG.11


| DCS X BIT | DCS (X+1) BIT | DCS (X+2) BIT | DESCRIPTION |
|-----------|---------------|---------------|----------------------|
| 0 | 0 | 0 | NO INTERNET FAX MODE |
| 0 | 0 | 1 | SIMPLE MODE |
| 0 | 1 | 0 | FULL MODE |
| 1 | 0 | 0 | REALTIME MODE |

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG.12

| FRAME MANE | DESCRIPTION |
|------------|--|
| CSE | CALLED SUBSCRIBER E-MALE ADDRESS |
| CIE | CALLING SUBSCRIBER E-MALE ADDRESS |
| TSE | TRANSMITTING SUBSCRIBER E-MALE ADDRESS |

FIG.13




| | | |
|-----------|-----------|----------|
| APPROVED | D.G. FIG. | |
| BY | CLASS | SUBCLASS |
| GRAFTSMAN | | |

FIG.14

| ONE-TOUCH NUMBER | G3-FAX FUNCTION | TELEPHONE NUMBER | INTERNET FAX FUNCTION | INTERNET FAX ADDRESS | ABBREVIATION OF COMMUNICATION PARTNER |
|------------------|-----------------|------------------|-----------------------|----------------------|---------------------------------------|
| 01 | PRESENT | 012 - 345 - 6789 | NONE | | CANO G3FAX |
| 02 | ABSENT | | SIMPLE | ifax@canxx.co.jp | CANO IFAX |
| 03 | PRESENT | 098 - 765 - 4321 | FULL | ifax@canxx.com | CANO G3/IFAX |
| 04 | | | REALTIME | rt.canxx.com | CANO IFAX-RT |
| 05 | | | | | |
| 06 | | | | | |
| 07 | | | | | |

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG.15



000000-000000-000000

| | |
|-----------|----------------|
| APPROVED | O.G. FIG. |
| BY | |
| DRAFTSMAN | CLASS SUBCLASS |

FIG.16




FIG.17





FIG.18



| | | |
|----------------|-----------|----------|
| APPROVED BY | O.G. FIG. | |
| DRAFTSMAN | CLASS | SUBCLASS |

FIG.19

